

INSECTA MUNDI

A Journal of World Insect Systematics

0537

The Plecoptera of Panama. I. The stonefly fauna of Mount Totumas
Cloud Forest and Biological Reserve, including a new country record

Brian J. Armitage

Instituto Conmemorativo Gorgas de Estudio de la Salud
Ave. Justo Arosemena y Calle 35
Apartado Postal No 0816-02593
Panamá, Republic of Panamá
tobikera89@gmail.com

Bill P. Stark

Department of Biological Sciences
Mississippi College
Clinton, MS 39058 USA
stark@mc.edu

Date of Issue: March 31, 2017

Brian J. Armitage and Bill P. Stark

The Plecoptera of Panama. I. The stonefly fauna of Mount Totumas Cloud Forest and Biological Reserve, including a new country record
Insecta Mundi 0537: 1–7

ZooBank Registered: urn:lsid:zoobank.org:pub:75B73669-0892-4815-BAE6-545C8D0EB532

Published in 2016 by

Center for Systematic Entomology, Inc.

P. O. Box 141874

Gainesville, FL 32614-1874 USA

<http://centerforsystematicentomology.org/>

Insecta Mundi is a journal primarily devoted to insect systematics, but articles can be published on any non-marine arthropod. Topics considered for publication include systematics, taxonomy, nomenclature, checklists, faunal works, and natural history. **Insecta Mundi** will not consider works in the applied sciences (i.e. medical entomology, pest control research, etc.), and no longer publishes book reviews or editorials. **Insecta Mundi** publishes original research or discoveries in an inexpensive and timely manner, distributing them free via open access on the internet on the date of publication.

Insecta Mundi is referenced or abstracted by several sources including the Zoological Record, CAB Abstracts, etc. **Insecta Mundi** is published irregularly throughout the year, with completed manuscripts assigned an individual number. Manuscripts must be peer reviewed prior to submission, after which they are reviewed by the editorial board to ensure quality. One author of each submitted manuscript must be a current member of the Center for Systematic Entomology.

Chief Editor: David Plotkin, e-mail: insectamundi@gmail.com

Assistant Editor: Paul E. Skelley, e-mail: insectamundi@gmail.com

Head Layout Editor: Eugenio H. Nearn

Editorial Board: J. H. Frank, M. J. Paulsen, Michael C. Thomas

Review Editors: Listed on the **Insecta Mundi** webpage

Manuscript Preparation Guidelines and Submission Requirements available on the **Insecta Mundi** web-page at: <http://centerforsystematicentomology.org/insectamundi/>

Printed copies (ISSN 0749-6737) annually deposited in libraries:

CSIRO, Canberra, ACT, Australia

Museu de Zoologia, São Paulo, Brazil

Agriculture and Agrifood Canada, Ottawa, ON, Canada

The Natural History Museum, London, UK

Muzeum i Instytut Zoologii PAN, Warsaw, Poland

National Taiwan University, Taipei, Taiwan

California Academy of Sciences, San Francisco, CA, USA

Florida Department of Agriculture and Consumer Services, Gainesville, FL, USA

Field Museum of Natural History, Chicago, IL, USA

National Museum of Natural History, Smithsonian Institution, Washington, DC, USA

Zoological Institute of Russian Academy of Sciences, Saint-Petersburg, Russia

Electronic copies (Online ISSN 1942-1354, CDROM ISSN 1942-1362) in PDF format:

Printed CD or DVD mailed to all members at end of year. Archived digitally by Portico.

Florida Virtual Campus: <http://purl.fcla.edu/fcla/insectamundi>

University of Nebraska-Lincoln, Digital Commons: <http://digitalcommons.unl.edu/insectamundi/>

Goethe-Universität, Frankfurt am Main: <http://nbn-resolving.de/urn/resolver.pl?urn:nbn:de:hebis:30:3-135240>

Copyright held by the author(s). This is an open access article distributed under the terms of the Creative Commons, Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited. <http://creativecommons.org/licenses/by-nc/3.0/>

Layout Editor for this article: Brian J. Armitage

The Plecoptera of Panama. I. The stonefly fauna of Mount Totumas Cloud Forest and Biological Reserve, including a new country record

Brian J. Armitage

Instituto Conmemorativo Gorgas de Estudio de la Salud
Ave. Justo Arosemena y Calle 35
Apartado Postal No 0816-02593
Panamá, Republic of Panamá
tobikera89@gmail.com

Bill P. Stark

Department of Biological Sciences
Mississippi College
Clinton, MS 39058 USA
stark@mc.edu

Abstract. The Republic of Panama currently has 21 recorded species of stoneflies, all in the genus *Anacroneuria* (Plecoptera: Perlidae). Herein, we record five species of this genus from the Mount Totumas Cloud Forest and Biological Reserve, in the upper reaches of the Río Chiriquí Viejo watershed. One of these species, *A. plutonis* (Banks), represents a new country record for Panama. These results are part of an ongoing effort to characterize the aquatic insect fauna of Panama, and to evaluate that country's major watersheds.

Key Words. Perlidae, *Anacroneuria*, new country record.

Introduction

Currently, *Anacroneuria* (Plecoptera: Perlidae) is the only stonefly genus known from Panama. A total of 21 species have been recorded (Cornejo and Gutiérrez-Fonseca 2015; Gutiérrez-Fonseca 2015), accounting for 42% of the 50 species known from Central America. Stoneflies were first reported from Panama in the 1920s (Klapálek 1922,1923; Needham and Broughton 1927), followed three decades later by Jewett (1958) in his work on Mexican and Central American stoneflies. Harper (1992) summarized and restated information on nine species, and included information about a number of undescribed species. Stark (1998) described or redescribed, 14 species which are currently known from Panama. Stark (2014) added a new species, two new country records, and confirmed the presence of *A. lineata* in Panama. Additional records (Stark and Kondratieff 2004, Gutiérrez-Fonseca et al. 2015) and the description of three new species from Darién Province (Gutiérrez-Fonseca 2015) has resulted in a total of 21 species currently known from Panama (Table 1). A recent summary of information on stoneflies in Panama (Cornejo and Gutiérrez-Fonseca 2015) provides additional information about distribution of species within Panama, and in other Central American countries.

Mount Totumas Cloud Forest and Biological Reserve (MTCF) is a private landholding in Chiriquí Province, adjacent to La Amistad International Park (PILA) and encompassing 160 ha. It is named for the nearby Cerro Totumas mountain (2,630 masl, maximum elevation). Whereas, the majority of Cerro Totumas is within the PILA boundaries, the western, lower slopes fall within the biological reserve. MTCF occupies the upper portion of the Río Colorado subwatershed (Fig. 1), immediately adjacent to and west of the headwaters of the Río Chiriquí Viejo watershed. The majority of the land is forested, with some pasture areas and livestock, but little or no crop-based agriculture.

The purpose of this paper is to record the MTCF stonefly fauna and to publish a new country record for Panama, *A. plutonis* (Banks).

Materials and Methods

Three streams were sampled during 2015. The upper extent of the Río Colorado is the principal stream on the MTCF property. It is approximately 5-9 m wide, contains a variety of substrates ranging from large boulders to coarse sand, and serves as a tributary of the Río Chiriquí Viejo. Quebrada Norte is a second order tributary of the Río Colorado, is approximately 1-2 m wide, joins the Río Colorado near the entrance to MTCF, and contains a variety of substrates from small boulders to fine sand. An unnamed, first order tributary arises in the western portion of MTCF and flows southeastward to join the Río Colorado. It is, in general, less than 1 m wide and contains a variety of substrate types including small boulders, gravel, fine sand, and organic detrital deposits. All three streams have a wooded riparian corridor.

Single-night collections were made during 2015, in general, using UV light and alcohol traps (Calor and Mariano 2012). Multiple-night collections were made with this same method or employing Malaise traps, as indicated below. The sample locations were located at 1,692 masl (Río Colorado and Quebrada Norte; both upstream of the confluence) and 1,922 masl (afluente de Río Colorado; approximately midway between the source and the confluence with the Río Colorado). The abdomen of adult stoneflies was removed, placed in 4% KOH, and processed as indicated in Stark (1998). Specimens listed in this publication will be deposited in the Museo de Invertebrados Fairchild de la University of Panamá (MIUP), the Colección Zoológica Dr. Eustorgio Méndez (CoZEM), or the authors' reference collections.

Results

Five species of stoneflies in the genus *Anacroneuria* were recorded from MTCF (Tables 1 and 2). Both UV light traps and Malaise traps were effective in capturing specimens for this study. One of these species, *A. plutonis*, is herein presented as a new record for Panama. Previously it was known only from Costa Rica. Collection and distribution information for each species follows and in Table 2.

Anacroneuria acutipennis Klapálek, 1923

Material examined— **Chiriquí Province: Cuenca 102**, Quebrada Norte, Mount Totumas Cloud Forest and Biological Reserve, 8.87361°N and 82.69051°W, 14.iv.2015, B. and T. Armitage, 1 female; *ibid.*, afluente Río Colorado, 8.884713°N and 82.68408°W, 14.iv.2015, B. and T. Armitage, 1 male.

Distribution: Costa Rica, Guatemala, Panama (Chiriquí).

Anacroneuria annulipalpis Klapálek, 1922

Material examined— **Chiriquí Province: Cuenca 102**, Río Colorado, Mount Totumas Cloud Forest and Biological Reserve, 8.87356°N and 82.68999°W, 21.v.2015, B. and T. Armitage, 1 female; *ibid.*, afluente Río Colorado, 8.884713°N and 82.68408°W, 21.v.2015, B. and T. Armitage, 1 male; *ibid.*, 14.iv.2015, B. and T. Armitage, 1 male; *ibid.*, 7-13.vii.2015 (Malaise trap), J. Dietrich, 2 males and 7 females; *ibid.*, Quebrada Norte, 8.87361°N and 82.69051°W, 30-31.viii.2015 (Malaise trap), B. and T. Armitage, 1 female.

Distribution: Costa Rica, Panama (Chiriquí).

Anacroneuria marca Stark, 1998

Material examined— **Chiriquí Province: Cuenca 102**, Quebrada Norte, Mount Totumas Cloud Forest and Biological Reserve, 8.87361°N and 82.69051°W, 14.iv.2015, B. and T. Armitage, 1 male;




Figure 1. Maps of the study site. **A.** Major watersheds (cuencas) of Panama, with the Mount Totumas Cloud Forest and Biological Reserve (MTCF), Chiriqui Province, Panama location indicated on the far left in the Río Chiriquí Viejo watershed. **B.** Hydrography of the Río Chiriquí Viejo watershed with the study streams colored in red. **C.** Close-up of the study area (1-Río Colorado, 2-Quebrada Norte, 3-afuente de Río Colorado). The southern limit of MTCF is approximately where Quebrada Norte enters the Río Colorado (thick black line).

ibid., 26.iv-10.v.2015 (Malaise trap), J. Dietrich, 1 male; ibid., Río Colorado, 8.87356°N and 82.68999°W, 21.v.2015, B. and T. Armitage, 3 males and 1 female; ibid., 20.viii.2015, B. and T. Armitage, 4 males; ibid., 30.viii.2015, B. and T. Armitage, 4 males.

Distribution: Costa Rica, Panama (Chiriquí).

***Anacroneuria plutonis* (Banks, 1914)**

Chiriquí Province: Cuenca 102, Quebrada Norte, Mount Totumas Cloud Forest and Biological Reserve, 8.87361°N and 82.69051°W, 26.iv-10.v.2015 (Malaise trap), J. Dietrich, 5 males and 3 females; ibid., 18.v-23.v.2015 (Malaise trap), 2 males; ibid., 26.iv.-10.v.2016, B. and T. Armitage, 1 female; ibid., Río Colorado, 8.87356°N and 82.68999°W, 21.v.2015, B. and T. Armitage, 1 male; ibid., 7-13.vii.2015 (Malaise trap), J. Dietrich, 2 males and 2 females; ibid., Quebrada Norte, 8.87361°N and 82.69051°W, 30-31.viii.2015 (Malaise trap), B. and T. Armitage, 1 female.

Distribution: Costa Rica; Panama (Chiriquí).

***Anacroneuria totumas* Stark, 2014**

Material examined— Chiriquí Province: Cuenca 102, afluyente Río Colorado, Mount Totumas Cloud Forest and Biological Reserve, 8.884713°N and 82.68408°W, 14.iv.2015, B. and T. Armitage, 1 male; Quebrada Norte, Mount Totumas Cloud Forest and Biological Reserve, 8.87361°N and 82.69051°W, 26.iv-10.v.2015 (Malaise trap), J. Dietrich, 1 male; ibid., 7-13.vii.2015, B. and T. Armitage, 2 males.

Distribution: Costa Rica, Panama (Chiriquí).

Discussion

With the publication of this paper, there are now five species of *Anacroneuria* currently known from MTCF, compared to 10 species in its major watershed, the Río Chiriquí Viejo, and 11 species from its province, Chiriquí (Cornejo and Gutiérrez-Fonseca 2015). All five species were found in mid-sized, Quebrada Norte, with three species found in both the headwater stream and the Río Colorado (Table 2). It is remarkable to find five species of this genus in such a relatively small area, although a total of 15 species have been collected by light trap at a single location in Guanacaste Province, Costa Rica (Stark 2014). Given this latter report and MTCF's proximity to the Costa Rican border, where other, different species are found, it is within the realm of possibility that more *Anacroneuria* species will be recorded in the future from this landholding.

The species, *A. totumas*, was described by Stark (2014) from Panama in MTCF. It was also recorded at that time from Costa Rica. No female or nymph are known, and although four additional males were collected from MTCF, no female associations could be made and the female of this species remains unknown. It is the only MTCF species with an unassociated female. Currently, there are 7 of 22 species in Panama for which the female is unknown (Table 1). However, given that four of the five MTCF species have unknown immature stages, the focus of our future effort will be to associate the adults of these species with their nymphs, either through rearing or employing DNA-matching.

Acknowledgments

We thank the Gorgas Institute and the Ministry of the Environment of Panama for making it possible for us to collect this material. We are grateful to Jeffrey Dietrich of Mount Totumas

Table 1. List of known *Anacroncuria* (Plecoptera: Perlidae) from Panama. Modified from Gutiérrez-Fonseca (2015) (*–Mount Totumas Cloud Forest and Biological Reserve, Chiriqui Province, Panama taxa; **–new Panama record).

MTCF	Species	Male	Female	Nymph
*	<i>A. acutipennis</i> Klapálek, 1923	Stark 1998	Stark 1998	Unknown
*	<i>A. annulipalpis</i> Klapálek, 1922	Stark 1998	Stark 1998	Unknown
	<i>A. azul</i> Rojas & Baena, 1999	Rojas & Baena in Stark et al. 1999	Unknown	Unknown
	<i>A. benedettoi</i> Stark, 1998	Stark 1998	Stark 1998	Gutiérrez-Fonseca & Springer 2011
	<i>A. blanda</i> Needham & Broughton, 1927	Stark 1998	Stark 1998	Unknown
	<i>A. choco</i> Stark & Bersosa in Zumiga et al. 2006	Stark & Bersosa in Zumiga et al. 2006	Unknown	Unknown
	<i>A. costana</i> (Navás, 1924)	Navás 1924	Unknown	Unknown
	<i>A. curiosa</i> Stark, 1998	Stark 1998	Unknown	Unknown
	<i>A. darien</i> Gutiérrez-Fonseca, 2015	Gutiérrez-Fonseca 2015	Gutiérrez-Fonseca 2015	Unknown
	<i>A. embera</i> Gutiérrez-Fonseca, 2015	Gutiérrez-Fonseca 2015	Unknown	Unknown
	<i>A. harperi</i> Stark, 1998	Stark 1998	Stark 1998	Unknown
	<i>A. laru</i> Gutiérrez-Fonseca, 2015	Gutiérrez-Fonseca 2015	Gutiérrez-Fonseca 2015	Unknown
	<i>A. lineata</i> (Navás, 1924)	Stark 1998	Stark & Kondratieff 2004	Gutiérrez-Fonseca & Springer 2011
	<i>A. litura</i> (Pictet, 1841)	Stark & Kondratieff 2004	Stark & Kondratieff 2004	Unknown
	<i>A. magnirufa</i> Jewett, 1958	Stark 1998	Stark 1998	Unknown
*	<i>A. marca</i> Stark, 1998	Stark 1998	Stark 1998	Gutiérrez-Fonseca & Springer 2011
	<i>A. planicollis</i> Klapálek, 1923	Stark 1998	Stark 1998	Unknown
**	<i>A. plutonis</i> (Banks, 1914)	Stark 1998	Stark 1998	Unknown
	<i>A. talamanca</i> Stark, 1998	Stark 1998	Stark 1998	Fenoglio 2007
*	<i>A. totumas</i> Stark, 2014	Stark 2014	Unknown	Unknown
	<i>A. varilla</i> Stark, 1998	Stark 1998	Stark 1998	Gutiérrez-Fonseca & Springer 2011
	<i>A. zarpa</i> Stark, 1998	Stark 1998	Unknown	Unknown

Table 2. Distribution of *Anacroneuria* species among three Mount Totumas Cloud Forest and Biological Reserve (Chiriqui Province, Panama) stream sizes.

	afluente de Río		
	Río Colorado	Quebrada Norte	Colorado
<i>A. acutipennis</i>		x	x
<i>A. annulipalpis</i>	x	x	x
<i>A. marca</i>	x	x	
<i>A. plutonis</i>	x	x	
<i>A. totumas</i>		x	x

Cloud Forest and Biological Reserve who facilitated our research and assisted in the collecting. Finally, we thank Dr. Boris Kondratieff (Colorado State University), Dr. Gutiérrez-Fonseca (University of Puerto Rico Río Piedras), and MSc. Aydeé Cornejo (Gorgas Institute, CoZEM) for reviewing this manuscript.

Literature Cited

- Banks, N. 1914.** New neuropteroid insects, native and exotic. Proceedings of the Academy of Natural Science of Philadelphia 66: 608-632.
- Calor, A. R., and R. Mariano. 2012.** UV light pan traps for collecting aquatic insects. EntomoBrasilis 5: 164-166.
- Cornejo, A., and P. E. Gutiérrez-Fonseca. 2015.** Orden Plecoptera (Insecta) en Panamá: listado distribución de especies, comparación con la riqueza taxonómica regional. Puente Biológico 7: 109-129.
- Fenoglio, S. 2007.** Stoneflies (Plecoptera: Perlidae) of Nicaragua. Caribbean Journal of Science 43: 220-225.
- Gutiérrez-Fonseca, P. E. 2015.** Three new species of *Anacroneuria* Klapálek (Plecoptera: Perlidae) from Panama. Zootaxa 3957(3): 69-76.
- Gutiérrez-Fonseca, P. E., and M. Springer. 2011.** Description of the final instar nymphs of seven species from *Anacroneuria* Klapálek (Plecoptera: Perlidae) in Costa Rica, and first record for an additional genus in Central America. Zootaxa 2965: 16-38.
- Gutiérrez-Fonseca, P. E., A. M. Alonso-Rodríguez, A. Cornejo, A. C. Bailey, J. M. Maes, and A. Ramírez. 2015.** New records of *Anacroneuria* Klapálek, 1909 (Plecoptera: Perlidae) for Central America. Zootaxa 3994 (3): 445-448.
- Harper, P. P. 1992.** Stoneflies of Panama (Plecoptera). p. 113-121. In: D. Quintero and A. Aiello (eds.). Insects of Panama and Mesoamerica: selected studies. Oxford University Press, England. 692 p.
- Jewett, S. G. 1958.** Stoneflies of the genus *Anacroneuria* from Mexico and Central America (Plecoptera). American Midland Naturalist 60(1): 159-175.
- Klapálek, F. 1922.** Plécoptères nouveaux. Quatrième partie. Annales de la Société Entomologique de Belgique 62: 89-95.
- Klapálek, F. 1923.** Plécoptères nouveaux. Cinquième partie. Annales de la Société Entomologique de Belgique 63: 21-29.
- Navás, L. 1924.** Plecópteros. Insectos de la América Central, Série Zoológica (Brotéria) 21: 55-86.
- Needham, J. G., and E. Broughton. 1927.** Central American stoneflies, with descriptions of new species Plecoptera). Journal of the New York Entomological Society 35(2): 109-121.
- Pictet, F. J. 1841.** Histoire naturelle générale et particulière des insectes Névroptères. Première monographie. amille des Perlides I partie. Langlois & Leclercq, Paris. 423 p.

- Stark, B. P. 1998.** The *Anacroneuria* of Costa Rica and Panama (Insecta: Plecoptera: Perlidae). Proceedings of the Biological Society of Washington 111(3): 551–603.
- Stark, B. P. 2014.** Records of Mesoamerican *Anacroneuria* (Plecoptera: Perlidae), with descriptions of four new species. Illiesia 10(2): 6–16.
- Stark, B. P., and B. C. Kondratieff. 2004.** *Anacroneuria* from México and upper Mesoamerica (Plecoptera: Perlidae). Monographs of the Western North American Naturalist 2(1): 1–64. <http://dx.doi.org/10.3398/1545-0228-2.1.1>
- Stark, B. P., M. C. Zúñiga, A. M. Rojas, and M. L. Baena. 1999.** Colombian *Anacroneuria*: descriptions of new and old species (Insecta, Plecoptera, Perlidae). Spixiana 22(1): 13–46.
- Zúñiga, M. del C., B. P. Stark, J. J. Vásquez, F. Bersosa, and L. D. Vimos. 2006.** Columbian and Ecuadorian *Anacroneuria* (Plecoptera: Perlidae): seven new species, records, and life stages. Studies in Neotropical Fauna and Environment 41: 45–57.

Received March 6, 2017; Accepted March 21, 2017.

Review Editor Andrew Rasmussen.

