

INSECTA MUNDI

A Journal of World Insect Systematics

0550

First records of the fulgoroid planthoppers *Cixidia fusca* and *Synecdoché impunctata* (Hemiptera: Achilidae) from Missouri

Lawrence Barringer
Division of Entomology
Pennsylvania Department of Agriculture
2301 N. Cameron Street
Harrisburg, PA 17110 USA

Claire Ciafre
3963 N. 6th St. Apt 2
Harrisburg, PA 17110 USA

Date of Issue: April 28, 2017

Lawrence Barringer and Claire Ciafre
First records of the fulgoroid planthoppers *Cixidia fusca* and
Synecdoche impunctata (Hemiptera: Achilidae) from Missouri
Insecta Mundi 0550: 1–2

ZooBank Registered: urn:lsid:zoobank.org:pub:D5881C8E-D2F1-4352-87C2-E0F83D27696F

Published in 2017 by

Center for Systematic Entomology, Inc.
P. O. Box 141874
Gainesville, FL 32614-1874 USA
<http://centerforsystematicentomology.org/>

Insecta Mundi is a journal primarily devoted to insect systematics, but articles can be published on any non-marine arthropod. Topics considered for publication include systematics, taxonomy, nomenclature, checklists, faunal works, and natural history. **Insecta Mundi** will not consider works in the applied sciences (i.e. medical entomology, pest control research, etc.), and no longer publishes book reviews or editorials. **Insecta Mundi** publishes original research or discoveries in an inexpensive and timely manner, distributing them free via open access on the internet on the date of publication.

Insecta Mundi is referenced or abstracted by several sources including the Zoological Record, CAB Abstracts, etc. **Insecta Mundi** is published irregularly throughout the year, with completed manuscripts assigned an individual number. Manuscripts must be peer reviewed prior to submission, after which they are reviewed by the editorial board to ensure quality. One author of each submitted manuscript must be a current member of the Center for Systematic Entomology.

Chief Editor: David Plotkin, e-mail: insectamundi@gmail.com
Assistant Editor: Paul E. Skelley, e-mail: insectamundi@gmail.com
Head Layout Editor: Eugenio H. Nearn
Editorial Board: J. H. Frank, M. J. Paulsen, Michael C. Thomas
Review Editors: Listed on the **Insecta Mundi** webpage

Manuscript Preparation Guidelines and **Submission Requirements** available on the **Insecta Mundi** webpage at: <http://centerforsystematicentomology.org/insectamundi/>

Printed copies (ISSN 0749-6737) annually deposited in libraries:

CSIRO, Canberra, ACT, Australia
Museu de Zoologia, São Paulo, Brazil
Agriculture and Agrifood Canada, Ottawa, ON, Canada
The Natural History Museum, London, UK
Muzeum i Instytut Zoologii PAN, Warsaw, Poland
National Taiwan University, Taipei, Taiwan
California Academy of Sciences, San Francisco, CA, USA
Florida Department of Agriculture and Consumer Services, Gainesville, FL, USA
Field Museum of Natural History, Chicago, IL, USA
National Museum of Natural History, Smithsonian Institution, Washington, DC, USA
Zoological Institute of Russian Academy of Sciences, Saint-Petersburg, Russia

Electronic copies (Online ISSN 1942-1354, CDROM ISSN 1942-1362) in PDF format:

Printed CD or DVD mailed to all members at end of year. Archived digitally by Portico.
Florida Virtual Campus: <http://purl.fcla.edu/fcla/insectamundi>
University of Nebraska-Lincoln, Digital Commons: <http://digitalcommons.unl.edu/insectamundi/>
Goethe-Universität, Frankfurt am Main: <http://nbn-resolving.de/urn/resolver.pl?urn:nbn:de:hebis:30:3-135240>

Copyright held by the author(s). This is an open access article distributed under the terms of the Creative Commons, Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited. <http://creativecommons.org/licenses/by-nc/3.0/>

Layout Editor for this article: Eugenio H. Nearn

First records of the fulgoroid planthoppers *Cixidia fusca* and *Synechdoche impunctata* (Hemiptera: Achilidae) from Missouri

Lawrence Barringer
Division of Entomology
Pennsylvania Department of Agriculture
2301 N. Cameron Street
Harrisburg, PA 17110 USA
lbarringer@pa.gov

Claire Ciafre
3963 N. 6th St. Apt 2
Harrisburg, PA 17110 USA
cmciafre@gmail.com

Abstract. *Cixidia fusca* and *Synechdoche impunctata* (Hemiptera: Achilidae) are reported from Missouri for the first time, **new state records**. Ecological and trapping information is also provided.

Key Words. New record.

Introduction

The family Achilidae contains eight genera and 55 species in North America (Bartlett et al. 2014). Of these, two genera (*Cixidia* and *Catonia*) comprising seven species were known to occur in Missouri. Presented here are the first records of the species *Cixidia fusca* (Walker) and the genus and species *Synechdoche impunctata* (Fitch) from Missouri, extending their Midwestern ranges.

Materials and Methods

All specimens were collected as bycatch in purple 12-unit Lindgren funnel traps baited with wood-boring beetle lures. Both traps were hung in young oak (*Quercus* spp.; Fagaceae) trees in Shannon County, Missouri. Traps were located near the peak of Southwest-facing slopes with canopies primarily composed of scarlet (*Q. coccinea* Muenchh.), black (*Q. velutina* Lam.), and white oak (*Q. alba* L.), hickories (*Carya* sp.; Juglandaceae), and shortleaf pine (*Pinus echinata* Mill.; Pinaceae). The understory canopy included sassafras (*Sassafras albidum* (Nutt.) Nees; Lauraceae), dogwood (*Cornus florida* L.; Cornaceae), red maple (*Acer rubrum* L.; Sapindaceae), black gum (*Nyssa sylvatica* Marshall; Cornaceae), and Carolina buckthorn (*Rhamnus caroliniana* Walter; Rhamnaceae).

Two specimens (1♂, 1♀) of *S. impunctata* were collected July 1, 2016 at 37.25381°N -91.38206°W from a trap hung on a white oak (*Q. alba*). A single female specimen of *C. fusca* was collected on May 21, 2016 at 37.25594°N -91.39143°W from a trap hung on a scarlet oak (*Q. coccinea*). All specimens were collected by the author (CMC) and stored in 100% ethanol until identification; they will be retained in the Pennsylvania Department of Agriculture's collection [PADA].

Results

Synechdoche impunctata has a primarily eastern distribution that includes four states adjacent to Missouri: Iowa, Illinois, Oklahoma, and Tennessee. *Synechdoche impunctata* can be distinguished from other North American *Synechdoche* by its pale frons with large dark brown spots, tegmina without transverse veinlets, and features of the male genitalia (O'Brien 1971).

The known range of *C. fusca* is more disjointed, with no reported states adjacent to this Missouri record. It is currently reported from AL, CO, DC, DE, FL, GA, LA, MD, MN, MS, NC, NJ, NM, NY, PA, RI, TX, VA, and WI as well as from Ontario, Quebec, and Puerto Rico (Bartlett et al. 2014). *Cixidia fusca* can be distinguished from other North American *Cixidia* by its dark brown frons with a light brown band in the middle third (Bartlett 2017).

Acknowledgments

The authors are grateful to the L-A-D Foundation for permitting us to collect from their land, and to Neal Humke for his assistance with trap servicing. The authors thank Gregory Setliff and Steve Wilson for revisions to this manuscript.

Literature Cited

- Bartlett, C. R., L. O'Brien, and S. W. Wilson. 2014.** A review of the planthoppers (Hemiptera: Fulgoroidea) of the United States. *Memoirs of the American Entomological Society*, Number 50. Sheridan Books; Chelsea, MI. 287 p.
- Bartlett C. 2017.** Planthoppers of North America. (Available at ~ <http://ag.udel.edu/enwc/research/planthoppers>. Last accessed 21 February 2017.)
- O'Brien, L. B. 1971.** Systematics of the tribe Plectoderini in America north of Mexico (Homoptera, Fulgoroidea, Achilidae). *University of California Publications in Entomology* 64: 1–79.

Received April 6, 2017. Accepted April 13, 2017.

Review Editor Lawrence Hribar.